

# RTL-SDR Dongle

Software Defined Radio On the Cheap  
By Rick Swenton, W1RHS 10-08-2021



# What is a Software Defined Radio?

- Traditionally, receiver and transmitter components and features were implemented through hardware circuits. Things like oscillators, amplifiers and mixers were made using specific components that were tuned to desired frequencies or bands of frequencies.
- In a Software Defined Radio, these subsystems are implemented in software and run on a personal computer or embedded controller.

# Examples of Software Defined Radios that use external personal computers

- TRANSCEIVERS

Apache Labs ANAN Transceivers

Flex Radio Transceivers such as the 6400

- RECEIVERS

SDRPlay Receivers

Air Spy Receivers

RTL-SDR Dongle



# Examples of Software Defined Radios that use embedded computers

- TRANSCEIVERS  
Icom Radios such as the IC-7300  
Yaesu Radios such as the FT-DX10  
Kenwood Radios such as the TS-990  
FlexRadio such as the 6600
- These radios support a connection to a personal computer for local or remote control but the PC is not required to use the radio from the front panel.



# Examples of Software Defined Radios available with either internal or external computers

- TRANSCEIVERS

Apache Labs made versions of the ANAN with either an external or internal personal computer.

- The internal PC is actually an Intel NUC (Next Unit of Computing) which is a complete PC with disk, memory and ports in a very small ~4" box.



# Examples of Software Defined Radios available with either internal or external computers

- TRANSCEIVERS

Of special note is that until recently, the versions of the ANAN with an embedded PC were not available with a front panel and controls on the radio. You need to connect a video display, keyboard and mouse directly to the radio. You would be using the same control software program that you would use on an external PC.

# Examples of Software Defined Radios available with either internal or external computers

- TRANSCEIVERS

Recently, Apache Labs announced the manufacture of the Andromeda. This is the ANAN with a full featured front panel with display and controls. Because of the virus impacting supply chains, availability is very limited.





# The RTL-SDR Dongle

- Typical applications are Radio listening, Ham Radio, SWL, Radio Astronomy, NDB-hunting and Spectrum analysis.
- Earlier SDR dongles only covered around 24 MHz to 1 GHz. The newer version allows the front end to be automatically switched out so that the A/D converter can directly sample the RF from around 100 KHz to 24 MHz.





# The RTL-SDR Dongle

- Are they any good? Yes.
- Are they as good as a \$200 SDR Receiver? No.
- Why would I want one of these?  
For \$30 it is a very economical way for you to get exposure to the broad array of features available in the same software used by the expensive products. You will be surprised.



# The RTL-SDR Dongle

## CHOOSE A GENUINE RTL-SDR BLOG V3

**IMPROVED FRONT END DESIGN**  
(RESULTING IN HIGHER L-BAND SNR)

**SMA FEMALE CONNECTOR**

**4.5V BIAS TEE**  
(SOFTWARE CONTROLLED)

**REDESIGNED THERMAL LAYOUT**  
(HELPS FIX VCO LOCK PROBLEMS)

**R820T2**

**1PPM TCXO**

**ENTIRE PCB REDESIGNED FOR LOWER NOISE**

**BETTER LDO**  
(LESS NOISE AND LOWER VOLTAGE OPERATION)

**5V LINE FERRITE CHOKE**

**ADDITIONAL ESD PROTECTION**

**DIRECT SAMPLING CIRCUIT**  
ENABLES HF RECEPTION  
(WITH LPF)

**CLK SELECTOR JUMPER**

**EXPANSION PORTS**

**GPIO EXPANSION PORTS**

**TOUGH CONDUCTIVE METAL ENCLOSURE**  
(REDUCES INTERFERENCE)

**THERMAL PAD COOLING**  
(REMOVES HEAT FROM PCB AND TRANSFERS IT TO THE METAL CASE  
RESULTING IN NO HEAT RELATED VCO LOCK PROBLEMS)

**USB RF CHOKE**  
(REMOVES USB NOISE)

**STANDARD/OTHER BRAND RTL-SDR**  
(NOISE FLOOR FULL OF SPURS)

**RTL-SDR V3 NOISE FLOOR**  
(SIGNIFICANTLY REDUCED SPURS/BIRDIES)

**RTL-SDR.COM**  
QUICKSTART SETUP GUIDE: [rtl-sdr.com/rtl-sdr-com-quickstart-setup-guide](http://rtl-sdr.com/rtl-sdr-com-quickstart-setup-guide)  
DVB-T+DAB+FM+SDR  
RTL2832U R820T2 TCXO+BIAS T+HF

**FULL 2-YEAR WARRANTY AGAINST MANUFACTURING FAULTS**  
**EMAIL & FORUM SUPPORT**  
**SUPPORTS THE BLOG FOR NEW CONTENT, TUTORIALS AND PRODUCTS!**

**GENUINE GUARANTEE:**  
**BE WARY OF INFERIOR**  
**RTL-SDR BLOG V3 COUNTERFEITS!**

**RTL SDR BLOG**

# The RTL-SDR Dongle

- **RTL-SDR USB Dongle Purchase**  
<https://www.amazon.com/RTL-SDR-Blog-RTL2832U-Software-Defined/dp/B0129EBDS2/>

Check for: Ships from Amazon and Sold by RTL-SDR Blog to ensure getting the genuine V3 product. Currently \$30. Antenna jack is SMA.



# The RTL-SDR Dongle

- Definitive Video: ***The Coolest Radio You've Probably Never Heard Of*** by Tom the Dilettante. This is a most excellent YouTube video that covers the RTL-SDR Dongle from top to bottom.  
<https://www.youtube.com/watch?v=h4x7cGALaC8>




# RTL-SDR Supported Control Software

I can confirm that the following mainstream software programs work with the RTL-SDR dongle:

- HDSDR
- SDR# (SDR Sharp)
- SDR Console
- SDR Play
- SDRangel
- SDR++
- UniTrunker (Trunk Tracker)
- NRSC5 (decodes Ibibiquity IBOC HD Radio)




# RTL-SDR Supported Control Software



**HDSDR** is a freeware Software Defined Radio (SDR) program for Windows. The program originally came from WinRadio and has been around for a long time. It works with a wide range of radios. <http://www.hdsdr.de/>


# RTL-SDR Supported Control Software



**SDR#** (SDR Sharp) is the flagship program for the AirSpy series of SDR Receivers. It is available as a free download for Windows. It is rich in features. <https://airspy.com/download/>




# RTL-SDR Supported Control Software



**SDR Console** is a very powerful and full-featured SDR application for Windows. The image above shows the latest version of SDR Console with the 3D waterfall display. <https://www.sdr-radio.com/download>

# RTL-SDR Supported Control Software




## ExtIO Driver for SDR Console

SDR Console comes with native support for the RTL-SDR. This ExtIO and driver now has an option to enable the direct sampling mode, which allows the HF mode on the V3 dongles to be activated. The ExtIO module can be downloaded from this Google drive link. Copy files into the SDR Radio.com Program Files folder.

[https://drive.google.com/file/d/1ZNhi1YwZtejVcHzzcglm8g\\_fnfUbP-cZ/view?usp=sharing](https://drive.google.com/file/d/1ZNhi1YwZtejVcHzzcglm8g_fnfUbP-cZ/view?usp=sharing)




# RTL-SDR Supported Control Software



**SDR Uno – ExtIO Version** is the flagship program for the SDRPlay RSP series of radios. It's a little more challenging to set up than the others. You need to use the ExtIO version of SDR Play for the RTL-SDR dongle to work.

<https://www.sdrplay.com/you-can-use-sdruno-with-an-rtl-sdr-dongle-new-video-guide/>

# RTL-SDR Supported Control Software




ExtIO\_RTLSDR\_u8.dll version 1.1.1.7 for SDR Play <https://www.rtl-sdr.com/forum/download/file.php?id=1026>

1. This ExtIO file needs to be in your Windows Documents folder. C:\Users\(\username)\Documents
2. Not all settings are remembered after shutdown. Go back into the Main Panel, Opt => Select Input => EXTIO\_RTLSDR and check RTL AGC to improve LW and HF sensitivity.




# RTL-SDR Supported Control Software



**SDRangel** <https://rgetz.github.io/sdrangel/> is intended for the power user. It is expected that you to already have some experience with SDR applications and digital signal processing in general. SDRangel might be a bit overwhelming. There's a discussion group: <https://groups.io/g/sdrangel> and a Wiki Page: <https://github.com/f4exb/sdrangel/wiki>

# RTL-SDR Supported Control Software



**SDR++** <https://github.com/AlexandreRouma/SDRPlusPlus> currently available for Windows and Linux.  
Version 1.0 released: <https://www.rtl-sdr.com/sdr-version-1-0-0-released/>  
**Multi VFO, Wide hardware support, Full waterfall update, FM Stereo, Freq. Presets and more.**  
**Perhaps a little difficult for first time SDR users to operate.**



# RTL-SDR Supported Control Software

The screenshot displays the Unitrunker software interface. At the top, it shows 'Site 4' and 'Motorola OD14'. Below this is a toolbar with icons for a house, folder, person, settings, and a radio. The main window is divided into two sections. The top section is a table of LCNs (Local Channel Numbers) with columns for LCN, Frequency, Audience, Target, R, Source, Source Label, and Svc. The bottom section is a call history log with columns for Stamp, Source ID, Source Label, Action, Target ID, Target Label, and Svc. The call history log shows a series of calls between various sources and targets, including Mashpee PD, Orleans PD, Sandwich PD, and County Fire Mutual Aid.

LCN	Frequency	Audience	Target	R	Source	Source Label	Svc
128	854.21250						
134	854.36250						
181	855.53750						
209	856.23750	County Fire Mutual Aid	38032g	LO	34046i		-
210	856.26250	Mashpee PD	38352g	LO	34471i		-
249	857.23750	Sandwich PD	38448g		47400i		-
250	857.26250	Mashpee Fire	37648g		34042i		-
288	858.21250						
328	859.21250						
329	859.23750						


  

Stamp	Source ID	Source Label	Action	Target ID	Target Label	Svc
13:25:03	34471i		Call	38352g	Mashpee PD	-
13:25:04	4958i		Call	38384g	Orleans PD	-
13:25:06	32005i		Call	38352g	Mashpee PD	-
13:25:07	9932i		Call	38384g	Orleans PD	-
13:25:10	32323i		Call	37648g	Mashpee Fire	-
13:25:10	34471i		Call	38352g	Mashpee PD	-
13:25:10	37362i		Call	38224g	Dennis PD	-
13:25:14	4958i		Call	38384g	Orleans PD	-
13:25:15	32013i		Call	38352g	Mashpee PD	-
13:25:16	29548i		Call	38448g	Sandwich PD	-
13:25:18	34471i		Call	38352g	Mashpee PD	-
13:25:20	34042i		Call	37648g	Mashpee Fire	-
13:25:22	47400i		Call	38448g	Sandwich PD	-
13:25:22	32013i		Call	38352g	Mashpee PD	-
13:25:24	34046i		Call	38032g	County Fire Mutual Aid	-
13:25:26	34471i		Call	38352g	Mashpee PD	-

**Unitrunker** provides Trunk Tracking for many LMR Trunking Systems. The image above shows Unitrunker receiving the Cape Cod Public Safety System (800 MHz Motorola Type-II) just using a small 4" antenna in the basement. Keep in mind this program only does Trunk Tracking and does not perform reception of encrypted transmissions. Only one dongle is needed because the control and data channels are within the SDR passband. <http://www.unitrunker.com/download/>



# RTL-SDR Supported Control Software



**NRSC5 (HD Radio IBOC)** provides reception of IBOC HD Radio. The image above shows reception of 102.9 MHz FM WPXY HD2 with a basement 4" whip antenna. I have not tried this program on the AM band because of a lack of available stations here. Incidentally, HD Radio does not mean "High Definition." It means "Hybrid Digital"

Software comes in two parts

**NRSC5 Command Line Utility – you have to compile this yourself.**

<https://github.com/theori-io/nrsc5>

**NRSC5 GUI that provides a functional GUI screen derived from the command line utility.**

<https://github.com/zefie/nrsc5-gui/releases/tag/v1.2.2>


# RTL-SDR Supported Control Software



## Other Software

If the program supports output redirection, (such as SDR Play, you can use a Virtual Audio Cable program to “pipe” the audio from SDR Play to other programs that decode signals like RTTY, Fax, PSK, Slow Scan TV and even DRM – Digital Radio Mondiale, the high definition radio format used on shortwave. You would need to receive a very strong DRM signal to decode on a dongle.

# RTL-SDR Modification



## LF/MF Improvement / Bias Tee Disable Mod

If you want to improve the performance at LF/MF (below 500 kHz) and do not require the bias tee, then you can remove the bias tee inductor at L13. Of course remember that if you are interested in VLF/LF, it might be a better idea to use an upconverter which can be powered by the bias tee on the dongle.

Bias-Tee is when the SDR sends a voltage through the coax to power a pre-amp or upconverter located remotely from the SDR.

# The RTL-SDR Dongle

- **RTL-SDR Quick Setup Guide**  
<https://www.rtl-sdr.com/qsg>
- Get the RTL-SDR running with SDR# first by following the Setup Guide
- Pay particular attention to the step that runs a program called ZADIG or Windows won't recognize the dongle.



# The RTL-SDR Dongle

- RTL-SDR Quick Setup Guide  
<https://www.rtl-sdr.com/qsg>
- SDR-Console supports the RTL-SDR dongle out of the box.
- SDR-Uno is a little more challenging to get running. You need the special ExtIO version and the DLL file.
- All require slight tweaking to optimize the signal reception.

